CLAIMS

pub All

- 1.\ A method for pre-selecting disks coupled to a storage system, the method comprising the steps of:
- obtaining a set of system characteristics;
- obtaining a plurality of disk characteristics;
- comparing the system characteristics with the disk characteristics;
- selecting disks whose disk characteristics match the system characteristics.
- 2. The method of Claim 1 further comprising the step of displaying the selected disks to a
- 2 user.
- 3. The method of Claim 1 wherein the system characteristics comprise characteristics of a
- volume of the storage system.
- 4. The method of Claim 3 wherein the step of obtaining system characteristics further
- 2 comprises the steps of:
- retrieving the volume characteristics from a volume table, the volume table cre-
- ated and maintained by a file system layer of an operating system executing on the stor-
- s age system.
- 5. The method of Claim 1 wherein the system characteristics are obtained from a registry
- of the storage system.



- 6 The method of Claim 5 wherein the registry further comprises:
- 2 \ an application program interface, the application program interface permitting pro-
- grams to interface with the registry.
- 7. The method of Claim 1 wherein the pre-selection occurs when a menu is displayed to
- 2 a user.
- 8. A graphical user interface (GUI) for managing a file server, the GUI comprising:
- a disk selector menu for identifying disks that may serve as candidates for a set of opera-
- tions, the set of operations including addition of disks to a volume and creation of a vol-
- 4 ume, the disk selector menu only displaying disks which are valid for the operation.
- 9. The graphical user interface of Claim 8 wherein the disk selector menu is a component
- of a web page and displayed in a web browser.
- 10. The graphical\user interface of Claim 8 wherein the disk selector menu only displays
- disks which are valid for a specific volume of the network storage.
- 11. A computer-readable medium operating on a storage system, the computer-readable
- 2 medium including program instructions for performing the steps of:
- 3 obtaining system characteristics;
- obtaining a plurality of disk characteristics;
- 5 comparing the disk characteristics to the system characteristics;
- selecting disks whose disk characteristics match the system characteristics; and display-
- 7 ing a list of the selected disks that may be added to the disks active in the storage system.



- 12. The computer-readable medium of Claim 11 wherein the computer-readable medium is a Java servlet.
- 13. The computer-readable medium of Claim 11 wherein the system characteristics fur-
- ther comprise:
- a set of volume characteristics.
- 14. The computer-readable medium of Claim 11 further programmed to perform the step
- of displaying the selected disks to the user, said list including only selected disks from a
- spare pool of disks and no others.
- 15. The computer-readable medium of Claim 11 further programmed to perform the step
- of displaying the selected disks to the user in a disk selector menu.
- 16. The computer-readable medium of Claim 11 wherein the disk selector menu is a
- 2 component of a web page and displayed in a web browser.
- 17. Electromagnetic signals propagating over a computer network, the electromagnetic
- signals carrying information for practicing the method of claim 5.
- 18. A method of pre-selecting disks to be displayed in a menu, the pre-selecting occur-
- ring before the menu is displayed, the method comprising the steps of:
- obtaining a set of system characteristics;
- obtaining a set of spare disk characteristics;
- comparing the system characteristics to the spare disk characteristics; and,

7

8

9



pre-selecting a plurality of spare disks whose characteristics match the system characteristics.

- 1 19. A method of pre-selecting disks to be added to a volume of a storage system, the method comprising the steps of:
- obtaining\a set of volume characteristics by calling an application program interface of a registry;
- obtaining a set of spare disk characteristics by calling the application program interface of the registry; and
 - pre-selecting a set of disks based upon the spare disk characteristics matching the set of volume characteristics.